


Lyfco®





BK-027


1200X850X2180mm



A1
A2
A3
A4
A5
A6
A7
A8
A9
A10
A11
A12
A13
A14
A15
A16
A17
A18
A19
A20
A21
M4×20 4pcs
A22
M4×30 4pcs
A23
M4×10
A24
A25
A26
A27
A28
M3×10
A29
A30
A31



3mm Diameter Drill Bit
silicon



Power
400 mm
Cold water
Hot water
150 mm
1400 mm
1200 mm
2180 mm
Draimer
550 mm
300 mm
850 mm
1200 mm






1
2
A26
3
A28
A27
4
A15
A14
A15
A20



A1
A2
A3
A4
A5
A21
M4×20 4pcs
A22
M4×30 4pcs
A23
M4×10



A4
A1
A3
A2
A1
A4
A1
A5






A3
A4
A5
A6
A7
A8
A13
A23
M4×10
A24



A5
A3
A6
A17
A24
A3
A7
A4
A3
A23
A23
A3
A26
A3
A23
A13
A23



A5
A8
A9
A10



A8
A23
A7
A8
A17


A29
A10
A9


A8
A10
A9
A11
A16
A23
M4×10
A23
A11
A23
A8
A20
A8
A11
A23
A10
A16
A9
A23


A18
A19
A17
A31
A18
A17
A31
A19


A25
A30
A25



Using instruction for shower room


1. open the switch,it can a djust the hot and cold water by turning into right and left,it is fine when you feel the temperature is ok.

2. Turning the adjuster ,it can control water running from the hand shower ,foot massager,sharp mass ager and top shower.

3. The hydraulic pressure is 0.4Mpa in every part.

4. Please turn off the power and switch of the shower room after you used it.

5. Please swab the shower room with soft cloth,it will keep new. The front and back of shower roo m are high - quality tampered glass,please don't impact it.


Fan
Speaker
Light
Fan
Speaker
Light
Antenna
AC 12~
AC 12~
220V 50HZ 10A JACK